

## SHALLOW SKIRTED CLOSURES

# 70-400-6213 S



## Specifications:

**DIAMETER** 70 mm  
**THREAD PROFILE** 400  
**NECK FINISH** 70-400  
**CLOSURE TOP** Stipple  
**CLOSURE SIDEWALL** Fine Ribbed  
**MATERIAL** PP

## PACKAGING & FREIGHT INFORMATION

PACK TYPE	PCS/CTN	CTNS/PALT	PCS/PALT	CTN WT*	PALT WT*	FRT CLASS
Bulk	1,000	15	15,000	24 <sup>(1)</sup>	358 <sup>(1)</sup>	125 <sup>(1)</sup>
Bulk	1,000	15	15,000	30 <sup>(2)</sup>	449 <sup>(2)</sup>	100 <sup>(2)</sup>
<b>CARTON DIMENSIONS: 24 x 16 x 15</b>			<b>PALLET DIMENSIONS: 48 x 40 x 50</b>			

(1) Unlined Closures (2) Lined Closures \*Approximate

## MARKETS

Dressings & Sauces, Food, Food Service, Industrial & Medical Products, Nutraceuticals, Pharmaceuticals, Non-Dairy Creamer, Personal Care & Cosmetics and Soup Base.

## OPTIONS

Available in white, standard, and custom colors.  
Can be embossed/debossed with custom message.  
Offset printing is available in up to three colors.

## CLOSURE BENEFITS

- A great general-purpose closure
- Fine-ribbed sides are easier to grip
- Our most popular closure style




**PHOENIX™**

PHXPKG.COM

P 630 420 4750 E greatpkg@phxpkg.com  
1899 High Grove Lane Naperville, IL 60540

SHALLOW SKIRTED CLOSURES

# 70-400-6213 S



NOTES: (UNLESS OTHERWISE SPECIFIED)				1	02.13.03	Update "E" Dimension		DN			
1. ALL DIMENSIONS ARE IN INCHES.				REV	DATE	DESCRIPTION		BY			
2. SEE CHART FOR DIMENSIONAL TOLERANCE.				TOLERANCE	PITCH/TPI	.167 / 6	TURNS	1-1/8			
THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.				.X	$\pm 0.1$	MAT'L	PP				
				.XX	$\pm 0.02$	DRAWN	DMN	DATE	06.20.02	SCALE	3 : 2
				.XXX	$\pm 0.010$	70 - 400 - 6213 S				REV	1




**PHOENIX**<sup>TM</sup>

PHXPKG.COM

P 630 420 4750 E greatpkg@phxpkg.com  
1899 High Grove Lane Naperville, IL 60540

SHALLOW SKIRTED CLOSURES

# 70-400-6213 S



MATERIAL	T (mean)	E (mean)	TOLERANCE
PP / PE	2.7185	2.6245	± 0.0175
PET	2.726	2.632	± 0.010
GLASS	0.0000	0.0000	± 0.0000

NOTES: (UNLESS OTHERWISE SPECIFIED) 1. ALL DIMENSIONS ARE IN INCHES. 2. SEE CHART FOR DIMENSIONAL TOLERANCE.		0	09.11.12	Released	DN
REV	DATE	DESCRIPTION			BY
TOLERANCE		PITCH/TP/1.167 / 6		TURN/1.1/4	MAT'L SEE CHART
.X	±0.1	DRAWN DMN	DATE 09.11.12	SCALE 10:1	REV
.XX	±0.02	<b>70 - 400 - FINISH</b>			0
.XXX	±0.010				

