

SHALLOW SKIRTED CLOSURES

83-400-6213 S



Specifications:

DIAMETER 83 mm
THREAD PROFILE 400
NECK FINISH 83-400
CLOSURE TOP Stipple
CLOSURE SIDEWALL Fine Ribbed
MATERIAL PP

PACKAGING & FREIGHT INFORMATION

| PACK TYPE | PCS/CTN | CTNS/PALT | PCS/PALT | CTN WT* | PALT WT* | FRT CLASS |
|--|---------|-----------|--|-------------------|--------------------|--------------------|
| Bulk | 550 | 15 | 8,250 | 21 ⁽¹⁾ | 322 ⁽¹⁾ | 125 ⁽¹⁾ |
| Bulk | 550 | 15 | 8,250 | 24 ⁽²⁾ | 355 ⁽²⁾ | 125 ⁽²⁾ |
| CARTON DIMENSIONS: 24 x 16 x 15 | | | PALLET DIMENSIONS: 48 x 40 x 50 | | | |

(1) Unlined Closures (2) Lined Closures *Approximate

MARKETS

Dressings & Sauces, Food, Food Service, Agricultural, Automotive, Industrial and Medical Products, Personal Care & Cosmetics, Pharmaceuticals, Nutraceuticals, Non-Dairy Creamer and Soup Base.

OPTIONS

Available in white, standard colors and custom colors. Can be embossed or debossed with your custom message. Offset printing is available on this closure in up to three colors.

CLOSURE BENEFITS

- A great general-purpose closure
- Fine-ribbed sides are easier to grip
- Our most popular closure style




PHXPKG.COM

P 630 420 4750 E greatpkg@phxpkg.com
975 Meridian Lake Drive • Aurora, IL 60504

SHALLOW SKIRTED CLOSURES

83-400-6213 S



| | | | | | | | | | | | | |
|---|--|--|--|-----------|-----------|-----------------------|-------|------|----------|-------|-----------|-----|
| NOTES: (UNLESS OTHERWISE SPECIFIED) 1. ALL DIMENSIONS ARE IN INCHES. 2. SEE CHART FOR DIMENSIONAL TOLERANCE. | | | | 2 | 07.26.99 | Updated "E" Dimension | | BZ | | | | |
| | | | | REV | DATE | DESCRIPTION | | BY | | | | |
| THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX. | | | | TOLERANCE | PITCH/TPI | .200 / 5 | TURNS | 1 | MAT'L | PP | | |
| | | | | .X | ±0.1 | DRAWN | DAA | DATE | 03.11.10 | SCALE | 1-1/4 : 1 | REV |
| | | | | .XX | ±0.02 | 83 - 400 - 6213 S | | | | | | |
| | | | | .XXX | ±0.010 | | | | | | | |




PHXPKG.COM

P 630 420 4750 E greatpkg@phxpkg.com
 975 Meridian Lake Drive • Aurora, IL 60504

SHALLOW SKIRTED CLOSURES

83-400-6213 S



| MATERIAL | T (mean) | E (mean) | TOLERANCE |
|----------|----------|----------|-----------|
| PP / PE | 3.2505 | 3.1305 | ± 0.0175 |
| PET | 3.2505 | 3.1305 | ± 0.012 |
| GLASS | N/A | N/A | ± N/A |

| | | | | | |
|--|--------|--------------------------|----------|-------------------------------|----------|
| NOTES: (UNLESS OTHERWISE SPECIFIED) 1. ALL DIMENSIONS ARE IN INCHES. 2. SEE CHART FOR DIMENSIONAL TOLERANCE. | | 1 | 05.25.02 | Updated Minimum "H" Dimension | DN |
| REV | DATE | DESCRIPTION | | | BY |
| TOLERANCE | | PITCH/TPI | .200 / 5 | TURNS | 1-1/4 |
| MATERIAL | | SEE CHART | | | |
| .X | ±0.1 | DRAWN | DMN | DATE | 05.20.00 |
| .XX | ±0.02 | SCALE | | 10 : 1 | REV |
| .XXX | ±0.010 | 83 - 400 - FINISH | | | 1 |



PHXPKG.COM

P 630 420 4750 E greatpkg@phxpkg.com
975 Meridian Lake Drive • Aurora, IL 60504