

MEDIUM & DEEP SKIRTED CLOSURES

110-MUL-9740 S EcoStack™



Specifications:

DIAMETER 110 mm
THREAD PROFILE MUL
NECK FINISH 110-MUL
CLOSURE TOP Stipple
CLOSURE SIDEWALL Fine Ribbed
MATERIAL PP

PACKAGING & FREIGHT INFORMATION

PACK TYPE	PCS/CTN	CTNS/PALT	PCS/PALT	CTN WT*	PALT WT*	FRT CLASS
Stack	375	15	5,625	20 ⁽¹⁾	301 ⁽¹⁾	125 ⁽¹⁾
Stack	375	15	5,625	22.9 ⁽²⁾	344 ⁽²⁾	125 ⁽²⁾
CARTON DIMENSIONS: 24 x 16 x 15			PALLET DIMENSIONS: 48 x 40 x 50			

(1) Unlined Closures (2) Lined Closures *Approximate

MARKETS

Agricultural, Automotive, Industrial, and Medical Products, Food, Food Service, Personal Care & Cosmetics, Pharmaceuticals, Peanut Butter & Nuts, Powdered Drinks, Dressings & Sauces.

OPTIONS

Available in white, standard, and custom colors.
Liners can be cut with tri-tab easy-open feature
Can be embossed/debossed with custom message.
Offset printing is available in up to three colors.

CLOSURE BENEFITS

- EcoStack™ nested stacking for improved quality and increased pack count
- A great general-purpose closure
- Fine-ribbed sides are easier to grip
- Multi-lead threads allow for better consumer experience




PHOENIX™

PHXPKG.COM

P 630 420 4750 E greatpkg@phxpkg.com
975 Meridian Lake Drive • Aurora, IL 60504

MEDIUM & DEEP SKIRTED CLOSURES

110-MUL-9740 S EcoStack™



NOTES: (UNLESS OTHERWISE SPECIFIED)
 1. ALL DIMENSIONS ARE IN INCHES.
 2. TOLERANCE ON ALL DIMENSIONS IS ± 0.010 ".

19.70

REV	02.08.21	Derived/Renamed from 110-MUL-DS R2	TCS	PITCH (TPI): 500	# OF TURNS: 1/4 x 4	MATERIAL: POLYPROPYLENE
DATE		DESCRIPTION	BY	DRAWING #: 110 - MUL - 9740 (S)		SCALE: 1 : 1
THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX CLOSURES, INC. AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX CLOSURES, INC. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX CLOSURES, INC.				DESCRIPTION: 110-MUL DEEP SKIRT CLOSURE		
				DRAWN BY: TCS	DATE: 02.08.21	APPROVED BY:




PHXPKG.COM

P 630 420 4750 E greatpkg@phxpkg.com
 975 Meridian Lake Drive • Aurora, IL 60504

MEDIUM & DEEP SKIRTED CLOSURES

110-MUL-9740 S EcoStack™



MATERIAL	TOLERANCE
PP / PE	± 0.0175
PET	± 0.012
GLASS	± 0.024

NOTES: (UNLESS OTHERWISE SPECIFIED)		0	11.17.97	Released	BZ
1. ALL DIMENSIONS ARE IN INCHES.		REV	DATE	DESCRIPTION	BY
2. SEE CHART FOR DIMENSIONAL TOLERANCE.				PITCH/TPI .200 / 5	TURNS 1-1/4
THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.		TOLERANCE	MAT'L		Per Chart
		.X ±0.1	DRAWN	BEZ	DATE 11.17.97
		.XX ±0.02	SCALE 8 : 1		REV
		.XXX ±0.010	110 - 400 - FINISH		0



PHXPKG.COM

P 630 420 4750 E greatpkg@phxpkg.com
975 Meridian Lake Drive • Aurora, IL 60504