

SHALLOW SKIRTED CLOSURES

100-400-9613 S



Specifications:

DIAMETER 100 mm
THREAD PROFILE 400
NECK FINISH 100-400
CLOSURE TOP Stipple
CLOSURE SIDEWALL Fine Ribbed
MATERIAL PP, PCR PP

PACKAGING & FREIGHT INFORMATION

PACK TYPE	PCS/CTN	CTNS/PALT	PCS/PALT	CTN WT*	PALT WT*	FRT CLASS
Stack	500	15	7,500	18 ⁽¹⁾	272 ⁽¹⁾	175 ⁽¹⁾
Stack	500	15	7,500	22 ⁽²⁾	330 ⁽²⁾	175 ⁽²⁾
CARTON DIMENSIONS: 24 x 16 x 15			PALLET DIMENSIONS: 48 x 40 x 50			

(1) Unlined Closures (2) Lined Closures *Approximate

MARKETS

Automotive, Industrial and Medical Products, Food, Food Service, Personal Care & Cosmetics, Pharmaceuticals, Nutraceuticals, Dressings & Sauces and Powdered Drinks.

OPTIONS


Available in white, standard, and custom colors. Can be embossed/debossed with custom message. Offset printing is available in up to four colors. Optional 25-30% food-contact safe PCR PP material available.

CLOSURE BENEFITS

- A great general-purpose closure
- Fine-ribbed sides are easier to grip
- Our most popular closure style

SHALLOW SKIRTED CLOSURES


100-400-9613 S



NOTES: (UNLESS OTHERWISE SPECIFIED) 1. ALL DIMENSIONS ARE IN INCHES. 2. SEE CHART FOR DIMENSIONAL TOLERANCE.				1	03.12.15	Redefine Reference Dimensions	DN
REV	DATE	DESCRIPTION				BY	
TOLERANCE	PITCH/TPI	.200 / 5	TURNS	1-3/16	MAT'L	PP	
.X	±0.1	DRAWN	DMN	DATE	10.31.06	SCALE	1 : 1
.XX	±0.02	100 - 400 - 9613 S				REV	1
.XXX	±0.010						

SHALLOW SKIRTED CLOSURES

100-400-9613 S



NOTES: (UNLESS OTHERWISE SPECIFIED)		0	05.23.03	Released	BZ	
1. ALL DIMENSIONS ARE IN INCHES.		REV	DATE	DESCRIPTION	BY	
2. SEE CHART FOR DIMENSIONAL TOLERANCE.		TOLERANCE		PITCH/TPI .200 / 5	TURNS 1-1/4	
THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.		.X	± 0.1	DRAWN BEZ	DATE 05.23.03	
		.XX	± 0.02	SCALE 8 : 1	REV	
		.XXX	± 0.010	100 - 400 - FINISH		0