

SMOOTH TOPS & SIDES

110-400-85 S



Specifications:

DIAMETER 110 mm
THREAD PROFILE 400
NECK FINISH 110-400
CLOSURE TOP Smooth
CLOSURE SIDEWALL Smooth
MATERIAL PP, PCR PP

PACKAGING & FREIGHT INFORMATION

PACK TYPE	PCS/CTN	CTNS/PALT	PCS/PALT	CTN WT*	PALT WT*	FRT CLASS
Stack	333	15	4,995	15 ⁽¹⁾	260 ⁽¹⁾	125 ⁽¹⁾
Stack	333	15	4,995	17 ⁽²⁾	295 ⁽²⁾	150 ⁽²⁾
CARTON DIMENSIONS: 24 x 16 x 15				PALLET DIMENSIONS: 48 x 40 x 50		

(1) Unlined Closures (2) Lined Closures *Approximate

MARKETS

Nutraceuticals, Personal Care & Cosmetics, and Pharmaceuticals.

OPTIONS

Available in white, standard, and custom colors. Can be lined with a variety of liner systems including SureSeal (foam), pressure sensitive and heat induction (foil) liners. Offset printing is available on this closure in up to four colors. Optional 25-30% food-contact safe PCR PP material available.

CLOSURE BENEFITS

- Smooth top and sides lend a “clean” look to the package
- Popular for vitamins and nutraceuticals
- Popular for cosmetics




PHOENIX™

PHXPKG.COM

P 630 420 4750 **E** greatpkg@phxpkg.com
 975 Meridian Lake Drive • Aurora, IL 60504

SMOOTH TOPS & SIDES


110-400-85 S



NOTES: (UNLESS OTHERWISE SPECIFIED) 1. ALL DIMENSIONS ARE IN INCHES. 2. SEE CHART FOR DIMENSIONAL TOLERANCE.	3	03.28.17	Update Overall Height Dimension				JP		
	REV	DATE	DESCRIPTION				BY		
	THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.								
THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.	TOLERANCE		PITCH/TPI		.200 / 5	TURNS	1-1/4	MAT'L	PP
	.X	±0.1	DRAWN	DMN	DATE	09.17.16	SCALE	1 : 1	REV
	.XX	±0.02	110 - 400 - 85 S						
	.XXX	±0.010							
3									

SMOOTH TOPS & SIDES

110-400-85 S



NOTES: (UNLESS OTHERWISE SPECIFIED)

1. ALL DIMENSIONS ARE IN INCHES.

2. SEE CHART FOR DIMENSIONAL TOLERANCE.

THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.

0	11.17.97	Released	BZ
REV	DATE	DESCRIPTION	BY
TOLERANCE	PITCH/TPI	200 / 5	URNS 1-1/4
.X ±0.1	DRAWN	BEZ	DATE 11.17.97
.XX ±0.02	SCALE	8 : 1	REV
.XXX ±0.010	110 - 400 - FINISH		0


PHOENIX™

PHXPKG.COM

P 630 420 4750 E greatpkg@phxpkg.com
 975 Meridian Lake Drive • Aurora, IL 60504

2024.01.24