

## SHALLOW SKIRTED CLOSURES

# 110-400-9613 S



## Specifications:

**DIAMETER** 110 mm  
**THREAD PROFILE** 400  
**NECK FINISH** 110-400  
**CLOSURE TOP** Stipple  
**CLOSURE SIDEWALL** Fine Ribbed  
**MATERIAL** PP, PCR PP

## PACKAGING & FREIGHT INFORMATION

PACK TYPE	PCS/CTN	CTNS/PALT	PCS/PALT	CTN WT*	PALT WT*	FRT CLASS
Stack	333	15	4,995	17 <sup>(1)</sup>	257 <sup>(1)</sup>	150 <sup>(1)</sup>
Stack	333	15	4,995	20 <sup>(2)</sup>	293 <sup>(2)</sup>	125 <sup>(2)</sup>
<b>CARTON DIMENSIONS: 24 x 16 x 15</b>			<b>PALLET DIMENSIONS: 48 x 40 x 50</b>			

(1) Unlined Closures (2) Lined Closures \*Approximate

## MARKETS

Agricultural, Automotive, Industrial, and Medical Products, Food, Food Service, Personal Care & Cosmetics, Pharmaceuticals, Peanut Butter & Nuts, Powdered Drinks, Dressings & Sauces.

## OPTIONS

Available in white, standard, and custom colors.  
 Liners can be cut with tri-tab easy-open feature  
 Can be embossed/debossed with custom message.  
 Offset printing is available in up to four colors.  
 Optional 25-30% food-contact safe PCR PP material available.

## CLOSURE BENEFITS

- A great general-purpose closure
- Fine-ribbed sides are easier to grip
- Our most popular closure style
- Utilized for peanut butter




**PHOENIX™**

PHXPKG.COM

**P** 630 420 4750 **E** greatpkg@phxpkg.com  
 975 Meridian Lake Drive • Aurora, IL 60504

## SHALLOW SKIRTED CLOSURES

# 110-400-9613 S



NOTES: (UNLESS OTHERWISE SPECIFIED) 1. ALL DIMENSIONS ARE IN INCHES. 2. SEE CHART FOR DIMENSIONAL TOLERANCE.				3	03.03.10	Update "E" Dimension		DN
THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.				REV	DATE	DESCRIPTION		BY
				TOLERANCE	PITCH/TPI	.200 / 5	TURNS	1-1/4
				.X	±0.1	DRAWN	DMN	DATE
				.XX	±0.02	06.29.09	SCALE	1 : 1
				.XXX	±0.010	110 - 400 - 9613 S		REV
								3


**PHOENIX™**


PHXPKG.COM

P 630 420 4750 E greatpkg@phxpkg.com  
975 Meridian Lake Drive • Aurora, IL 60504

2024.01.23

## SHALLOW SKIRTED CLOSURES

# 110-400-9613 S



NOTES: (UNLESS OTHERWISE SPECIFIED)

1. ALL DIMENSIONS ARE IN INCHES.

2. SEE CHART FOR DIMENSIONAL TOLERANCE.

THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.

0	11.17.97	Released	BZ
REV	DATE	DESCRIPTION	BY
TOLERANCE	PITCH/TPI	200 / 5	Turns 1-1/4
.X ±0.1	DRAWN	BEZ	DATE 11.17.97
.XX ±0.02	SCALE	8 : 1	REV
.XXX ±0.010	110 - 400 - FINISH		0


**PHOENIX™**

PHXPKG.COM

P 630 420 4750 E greatpkg@phxpkg.com  
 975 Meridian Lake Drive • Aurora, IL 60504

2024.01.23