

## MEDIUM &amp; DEEP SKIRTED CLOSURES

## 110-DCT-9740 S



## Specifications:

**DIAMETER** 110 mm  
**THREAD PROFILE** DCT  
**NECK FINISH** 110-DCT  
**CLOSURE TOP** Stipple  
**CLOSURE SIDEWALL** Fine Ribbed  
**MATERIAL** PP, PCR PP

## PACKAGING &amp; FREIGHT INFORMATION

PACK TYPE	PCS/CTN	CTNS/PALT	PCS/PALT	CTN WT*	PALT WT*	FRT CLASS
Stack	375	15	5,625	TBD <sup>(1)</sup>	TDB <sup>(1)</sup>	TBD <sup>(1)</sup>
Stack	375	15	5,625	22 <sup>(2)</sup>	334 <sup>(2)</sup>	125 <sup>(2)</sup>
<b>CARTON DIMENSIONS: 24 x 16 x 15</b>			<b>PALLET DIMENSIONS: 48 x 40 x 50</b>			

(1) Unlined Closures (2) Lined Closures \*Approximate

## MARKETS

Agricultural, Automotive, Industrial, and Medical Products, Food, Food Service, Personal Care & Cosmetics, Pharmaceuticals, Peanut Butter & Nuts, Powdered Drinks, Dressings & Sauces.

## CLOSURE BENEFITS

- EcoStack nested stacking for improved quality and increased pack count
- A great general-purpose closure
- Fine-ribbed sides are easier to grip
- Deep-continuous thread neck finish

## OPTIONS

Available in white, standard, and custom colors.  
 Liners can be cut with tri-tab easy-open feature  
 Can be embossed/debossed with custom message.  
 Offset printing is available in up to three colors.  
 Optional 25–30% food-contact PCR PP material available.




**PHOENIX™**

PHXPKG.COM

P 630 420 4750 E greatpkg@phxpkg.com  
 975 Meridian Lake Drive • Aurora, IL 60504

## MEDIUM & DEEP SKIRTED CLOSURES

# 110-DCT-9740 S



NOTES: (UNLESS OTHERWISE SPECIFIED)  
 1. ALL DIMENSIONS ARE IN INCHES.  
 2. TOLERANCE ON ALL DIMENSIONS IS  $\pm 0.010"$ .

19.70

0	02/08/21	Derived/Renamed from 110-400-DS R2	TCS	PITCH (TPI): 200	# OF TURNS: 1	MATERIAL: POLYPROPYLENE
REV	DATE	DESCRIPTION	BY	DRAWING #: 110 - DCT - 9740 (S)		SCALE: 1 : 1
THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX CLOSURES, INC. AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX CLOSURES, INC. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX CLOSURES, INC.				DESCRIPTION: 110-DCT DEEP SKIRT CLOSURE		
DRAWN BY: TCS		DATE: 02.08.21	APPROVED BY:	REV: 0		




# PHOENIX™

PHXPKG.COM

P 630 420 4750 E greatpkg@phxpkg.com  
 975 Meridian Lake Drive • Aurora, IL 60504

## MEDIUM & DEEP SKIRTED CLOSURES

# 110-DCT-9740 S



MATERIAL	TOLERANCE
PP / PE	± 0.0175
PET	± 0.012
GLASS	± 0.024

NOTES: (UNLESS OTHERWISE SPECIFIED)		0	11.17.97	Released	BZ
1. ALL DIMENSIONS ARE IN INCHES.		REV	DATE	DESCRIPTION	BY
2. SEE CHART FOR DIMENSIONAL TOLERANCE.		TOLERANCE	PITCH/TPI	200 / 5	TURNS 1-1/4
THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.		.X	±0.1	DRAWN	BEZ
		.XX	±0.02	DATE	11.17.97
		.XXX	±0.010	SCALE	8 : 1
		<b>110 - 400 - FINISH</b>			REV