

110-DCT-9740 S



Specifications:

- DIAMETER** 110 mm
- NECK FINISH** 110-DCT
- CLOSURE TOP** Stipple
- CLOSURE SIDEWALL** Fine Ribbed
- MATERIAL** PP, PCR PP

PACKAGING & FREIGHT INFORMATION

PACK TYPE	PCS/CTN	CTNS/PALT	PCS/PALT	CTN WT*	PALT WT*	FRT CLASS
Stack	375	15	5,625	TBD ⁽¹⁾	TBD ⁽¹⁾	TBD ⁽¹⁾
Stack	375	15	5,625	22 ⁽²⁾	334 ⁽²⁾	125 ⁽²⁾
CARTON DIMENSIONS: 24 x 16 x 15			PALLET DIMENSIONS: 48 x 40 x 50			

(1) Unlined Closures (2) Lined Closures *Approximate

MARKETS

Agricultural, Automotive, Industrial, and Medical Products, Food, Food Service, Personal Care & Cosmetics, Pharmaceuticals, Peanut Butter & Nuts, Powdered Drinks, Dressings & Sauces

CLOSURE BENEFITS

- EcoStack nested stacking for improved quality and increased pack count
- A great general-purpose closure
- Fine-ribbed sides are easier to grip
- Deep-continuous thread neck finish


OPTIONS

Available in white, standard, and custom colors. Liners can be cut with tri-tab easy-open feature. Can be embossed/ debossed with custom message. Offset printing is available in up to three colors. Multiple PCR materials available with food-contact and non-food options up to 100% PCR content.



PHXPKG.COM


P 630 420 4750 E greatpkg@phxpkg.com
975 Meridian Lake Drive • Aurora, IL 60504



NOTES: (UNLESS OTHERWISE SPECIFIED)
 1. ALL DIMENSIONS ARE IN INCHES.
 2. TOLERANCE ON ALL DIMENSIONS IS ± 0.010 ".

19.70

0	02/08/21	Derived/Renamed from 110-400-DS R2	TCS	PITCH (TPI): 200	# OF TURNS: 1	MATERIAL: POLYPROPYLENE
REV	DATE	DESCRIPTION	BY	DRAWING #: 110 - DCT - 9740 (S)		SCALE: 1 : 1
THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX CLOSURES, INC. AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX CLOSURES, INC. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX CLOSURES, INC.				DESCRIPTION: 110-DCT DEEP SKIRT CLOSURE		
				DRAWN BY: TCS	DATE: 02.08.21	APPROVED BY:



NOTES: (UNLESS OTHERWISE SPECIFIED)
 1. ALL DIMENSIONS ARE IN INCHES.
 2. SEE CHART FOR TOLERANCE ON ALL DIMENSIONS.

MATERIAL	T (mean)	E (mean)	TOLERANCE
PP / PE	4.3135	4.1935	± 0.0175
PET	4.319	4.199	± 0.012
GLASS	N/A	N/A	± N/A

NOTES: (UNLESS OTHERWISE SPECIFIED) 1. ALL DIMENSIONS ARE IN INCHES. 2. SEE CHART FOR DIMENSIONAL TOLERANCE.	-	00.00.00	-	-					
	REV	DATE	DESCRIPTION	BY					
THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.	TOLERANCE	PITCH/TPI	.200 / 0	TURNS	1.25	MAT'L	SEE CHART		
	.X	±0.1	DRAWN	TCS	DATE	08.26.25	SCALE	8 : 1	REV
	.XX	±0.02	110 - DCT - FINISH					0	
	.XXX	±0.010							



PHXPKG.COM

P 630 420 4750 E greatpkg@phxpkg.com
 975 Meridian Lake Drive • Aurora, IL 60504