

## MEDIUM &amp; DEEP SKIRTED CLOSURES

## 120-DCT-76SM S



## Specifications:

**DIAMETER** 120 mm  
**THREAD PROFILE** DCT  
**NECK FINISH** 120-DCT  
**CLOSURE TOP** Smooth  
**CLOSURE SIDEWALL:** Smooth  
**MATERIAL** PP, PCR PP

## PACKAGING &amp; FREIGHT INFORMATION

PACK TYPE	PCS/CTN	CTNS/PALT	PCS/PALT	CTN WT*	PALT WT*	FRT CLASS
Stacked	304	15	4,560	23 <sup>(1)</sup>	340 <sup>(1)</sup>	125 <sup>(1)</sup>
Stacked	304	15	4,560	25 <sup>(2)</sup>	373 <sup>(2)</sup>	125 <sup>(2)</sup>
<b>CARTON DIMENSIONS:</b> 24 x 16 x 15			<b>PALLET DIMENSIONS:</b> 48 x 40 x 50			

(1) Unlined Closures (2) Lined Closures \*Approximate

## MARKETS

Nutritional Powders, Nutraceuticals, Food, Beverage, Home Care, Ag-Chem/Industrial

## OPTIONS

Available in white, standard and custom colors. Can be lined with a wide variety of liner systems including SureSeal (foam), pressure sensitive and heat induction (foil) liners. Offset printing is available on this closure in up to four colors. Multiple PCR materials available with food-contact and non-food options up to 100% PCR content.

## CLOSURE BENEFITS

- EcoStack® nested stacking for improved quality and increased pack count
- Smooth sides lend a clean look
- Popular for nutritional powders
- Stocked in white (colors available)


**PHOENIX™**

PHXPKG.COM

P 630 420 4750 E greatpkg@phxpkg.com  
975 Meridian Lake Drive • Aurora, IL 60504

## MEDIUM &amp; DEEP SKIRTED CLOSURES

## 120-DCT-76SM S



NOTES: (UNLESS OTHERWISE SPECIFIED)

1. ALL DIMENSIONS ARE IN INCHES.

2. SEE CHART FOR DIMENSIONAL TOLERANCE.

THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.

5	07.17.19	Eliminate "Phoenix" Engraving	TS
REV	DATE	DESCRIPTION	BY
TOLERANCE	PITCH/TPI .200 / 5	TURNS 1-1/2	MAT'L PP
.X ±0.1	DRAWN TCS	DATE 09.06.18	SCALE 3/4 : 1
.XX ±0.02			REV
.XXX ±0.010			5



PHOENIX™


PHXPKG.COM

P 630 420 4750 E greatpkg@phxpkg.com  
975 Meridian Lake Drive • Aurora, IL 60504

2024.03.12

MEDIUM & DEEP SKIRTED CLOSURES

120-DCT-76SM S



MATERIAL	T (mean)	E (mean)	TOLERANCE
PP / PE	4.707	4.587	± 0.018
PET	4.710	4.590	± 0.015
GLASS	N/A	N/A	± N/A

NOTES: (UNLESS OTHERWISE SPECIFIED) 1. ALL DIMENSIONS ARE IN INCHES. 2. SEE CHART FOR DIMENSIONAL TOLERANCE.  THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.		0	04.10.15	Released		DN
		REV	DATE	DESCRIPTION		BY
		TOLERANCE	PITCH/TPI	.200 / 5	TURNS	1-1/8
		.X ±0.1	DRAWN	DMN	DATE	04.10.15
		.XX ±0.02	SCALE		6 : 1	REV
		.XXX ±0.010	120 - DCT - FINISH			0