

DISPENSING CLOSURES

24-DIS-CR25 U



Specifications:

DIAMETER 24 mm
THREAD PROFILE 410
NECK FINISH 24-410
CLOSURE TYPE Flip-top dispensing
CLOSURE TOP Smooth
CLOSURE SIDEWALL Ribbed
MATERIAL PP

PACKAGING & FREIGHT INFORMATION

PACK TYPE	PCS/CTN	CTNS/PALT	PCS/PALT	CTN WT*	PALT WT*	FRT CLASS
Bulk	4,650	15	69,750	31 ⁽¹⁾	496 ⁽¹⁾	100 ⁽¹⁾
CARTON DIMENSIONS: 24 x 16 x 15			PALLET DIMENSIONS: 48 x 40 x 50			

(1) Unlined Closures (2) Lined Closures *Approximate

MARKETS

Hand Sanitizer, Liquid Soaps, Shampoos,
 Skin Care, Gels, Lotions, Syrup, Honey,
 Cleansers, Cleaning Liquids.

OPTIONS


Available in white, standard, and custom colors.

CLOSURE BENEFITS

- 0.250" orifice
- Oasis Flip-Top Dispensing Closure
- Crab-claw linerless seal
- Leak-free design
- Popular for hand sanitizers
- Popular for personal care items

DISPENSING CLOSURES

24-DIS-CR25 U



NOTES: (UNLESS OTHERWISE SPECIFIED)

1. ALL DIMENSIONS ARE IN INCHES.

2. SEE CHART FOR DIMENSIONAL TOLERANCE.

THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.

D	04.20.20	Finalize Design, Add PCI Logo			TCS
REV	DATE	DESCRIPTION			BY
TOLERANCE	PITCH/TPI	.167 / 6	TURNS	1	MAT'L PP
.X	±0.1	DRAWN RAG	DATE	04.16.20	SCALE 1.5 : 1
.XX	±0.02	024 - DIS - CR25 U			REV
.XXX	±0.010				D




PHOENIX

PHXPKG.COM

P 630 420 4750 E greatpkg@phxpkg.com
975 Meridian Lake Drive • Aurora, IL 60504

DISPENSING CLOSURES

24-DIS-CR25 U



MATERIAL	T (mean)	E (mean)	TOLERANCE
PP / PE	0.932	0.848	± 0.008
PET	0.934	0.850	± 0.006
GLASS	N/A	N/A	± N/A

NOTES: (UNLESS OTHERWISE SPECIFIED) 1. ALL DIMENSIONS ARE IN INCHES. 2. SEE CHART FOR DIMENSIONAL TOLERANCE.	0	10.19.04	Released					BZ	
	REV	DATE		DESCRIPTION					BY
	TOLERANCE		PITCH/TPI		.125 / 8		2	MAT'L PER CHART	
	.X	±0.1	DRAWN	BEZ		DATE	10.19.04	SCALE 8 : 1	REV
	.XX	±0.02	24 - 410 - FINISH						
.XXX	±0.010	0							