

MEDIUM & DEEP SKIRTED CLOSURES

28-410-62 S



Specifications:

DIAMETER 28 mm
THREAD PROFILE 410
NECK FINISH 28-410
CLOSURE TOP Stipple
CLOSURE SIDEWALL: Fine Ribbed
MATERIAL PP, PCR PP

PACKAGING & FREIGHT INFORMATION

PACK TYPE	PCS/CTN	CTNS/PALT	PCS/PALT	CTN WT*	PALT WT*	FRT CLASS
Bulk	3,850	15	57,750	26 ⁽¹⁾	395 ⁽¹⁾	100 ⁽¹⁾
Bulk	3,850	15	57,750	28 ⁽²⁾	420 ⁽²⁾	100 ⁽²⁾
CARTON DIMENSIONS: 24 x 16 x 15			PALLET DIMENSIONS: 48 x 40 x 50			

(1) Unlined Closures (2) Lined Closures *Approximate

MARKETS

Automotive, Industrial, and Medical Products, Household Chemicals, Personal Care & Cosmetics, Dressings & Sauces, Food, Food Service, and Pharmaceuticals

OPTIONS

Available in white, standard colors, and custom colors.


Optional 25–30% food-contact PCR PP material available.

CLOSURE BENEFITS

- A great general-purpose closure
- Fine-ribbed sides are easier to grip
- Our most popular closure style
- Popular for cosmetics

MEDIUM & DEEP SKIRTED CLOSURES

28-410-62 S



NOTES: (UNLESS OTHERWISE SPECIFIED)

1. ALL DIMENSIONS ARE IN INCHES.
2. SEE CHART FOR DIMENSIONAL TOLERANCE.

THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.

REV	DATE	DESCRIPTION	BY
4	10.19.09	Inner Gate Dimple, Inner Shldr. Radius	DN
TOLERANCE		PITCH/TPI .167 / 6	TURNS 1-1/8
		MAT'L	PP
.X	±0.1	DRAWN BEZ	DATE 07.19.04
.XX	±0.02	SCALE	5 : 2
.XXX	±0.010	28 - 410 - 62 S	
			REV 4



PHOENIX™

PHXPKG.COM

 P 630 420 4750 E greatpkg@phxpkg.com
 975 Meridian Lake Drive • Aurora, IL 60504

MEDIUM & DEEP SKIRTED CLOSURES

28-410-62 S



MATERIAL	T (mean)	E (mean)	TOLERANCE
PP / PE	1.078	0.984	± 0.010
PET	1.078	0.984	± 0.006
GLASS	N/A	N/A	± N/A

NOTES: (UNLESS OTHERWISE SPECIFIED) 1. ALL DIMENSIONS ARE IN INCHES. 2. SEE CHART FOR DIMENSIONAL TOLERANCE. THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.	0	10.19.18	Released	BZ					
	REV	DATE	DESCRIPTION	BY					
	TOLERANCE	PITCH/TPI	.167 / 6	TURNS	1-1/4	MAT'L PER CHART			
	.X	±0.1	DRAWN	BEZ	DATE	10.19.04	SCALE	8 : 1	REV
	.XX	±0.02	28 - 410 - FINISH			0			
.XXX	±0.010								