VISTA

VISTA CHILD-RESISTANT CLOSURES

28-CRC-SMTX A



Specifications:

DIAMETER 28 mm
NECK FINISH 28-400
CLOSURE TOP Debossed Text
CLOSURE SIDEWALL Smatte™
MATERIAL PP, PCR PP

PACKAGING & FREIGHT INFORMATION

PACK TYPE	PCS/CTN	CTNS/PALT	PCS/PALT	CTN WT*	PALT WT*	FRT CLASS
Bulk	3,000	15	45,000	34.4 (1)	516 (1)	100 (1)
Bulk	3,000	15	45,000	35.6 (2)	534 (2)	100 (2)
CARTON DIMENSIONS: 24 x 16 x 15			PALLET DIMENSIONS: 48 x 40 x 50			

(1) Unlined Closures (2) Lined Closures *Approximate

MARKETS

Vitamins, Nutraceuticals, Pharmaceuticals, Supplements, Agricultural, Automotive, Household Chemicals, Cosmetics, Industrial, Cannabis, and Nutritional Powders

OPTIONS

Available in white, standard, and custom colors. Can be lined with a wide variety of liner systems including SureSeal (foam). Multiple PCR materials available with food-contact and non-food options up to 100% PCR content.

CLOSURE BENEFITS

- Patented Smatte™ finish for a sleek look
- Offers child-resistance feature
- Vista® 2-piece CRC
- Push-and-turn
- Debossed with text instructions
- Popular for vitamins & nutraceuticals

PHOENIX™

PHXPKG.COM
P 630 420 4750 E greatpkg@phxpkg.com
975 Meridian Lake Drive ▪ Aurora, IL 60504

2024.06.17

VISTA

VISTA CHILD-RESISTANT CLOSURES

28-CRC-SMTX A







NOTES: (UNLESS OTHERWISE SPECIFIED) 1. ALL DIMENSIONS ARE IN INCHES. 2. SEE CHART FOR DIMENSIONAL TOLERANCE.	4	03.19.21	Update "E" Dim. to Reflect Production		DN
	REV	DATE	DESCRIPTION		BY
THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.	TOLERANCE	PITCH/TPI .167 / 6	TURNS ~1-1/4	MAT'L PP	
	.X ±0.1	DRAWN DMN	DATE 07.24.20	SCALE 5 : 2	REV
	.XX ±0.02	28 - CRC - SMTX S			4
	.XXX ±0.010				

PHOENIX™

PHXPKG.COM

P 630 420 4750 E greatpkg@phxpkg.com
975 Meridian Lake Drive ▪ Aurora, IL 60504

VISTA

VISTA CHILD-RESISTANT CLOSURES

28-CRC-SMTX A



MATERIAL	T (mean)	E (mean)	TOLERANCE
PP / PE	1.078	0.984	± 0.010
PET	1.080	0.986	± 0.008
GLASS	N/A	N/A	± N/A

NOTES: (UNLESS OTHERWISE SPECIFIED)
1. ALL DIMENSIONS ARE IN INCHES.
2. SEE CHART FOR DIMENSIONAL TOLERANCE.

REV	DATE	DESCRIPTION	BY
0	11.15.04	Released	BZ

THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.

TOLERANCE	
.X	±0.1
.XX	±0.02
.XXX	±0.010

PITCH/TPI	TURNS	MAT'L
.167 / 6	1-1/8	PER CHART

DRAWN	DATE	SCALE	REV
BEZ	11.15.04	8 : 1	0

28 - 400 - FINISH

PHOENIX™

PHXPKG.COM
P 630 420 4750 E greatpkg@phxpkg.com
975 Meridian Lake Drive ▪ Aurora, IL 60504