

OASIS DISPENSING CLOSURES

28-DIS-CR38 U



Specifications:

DIAMETER 28 mm
THREAD PROFILE 410
NECK FINISH 28-410
CLOSURE TYPE Flip-top dispensing
CLOSURE TOP Smooth
CLOSURE SIDEWALL Ribbed
MATERIAL PP

PACKAGING & FREIGHT INFORMATION

PACK TYPE	PCS/CTN	CTNS/PALT	PCS/PALT	CTN WT*	PALT WT*	FRT CLASS
Bulk	3,100	15	46,500	TBD ⁽¹⁾	TBD ⁽¹⁾	TBD ⁽¹⁾
CARTON DIMENSIONS: 24 x 16 x 15			PALLET DIMENSIONS: 48 x 40 x 50			

(1) Unlined Closures (2) Lined Closures *Approximate

MARKETS

Hand sanitizer, Liquid Soaps, Shampoos,
 Skin Care, Gels, Lotions, Syrup, Honey,
 Cleansers, Cleansing Liquids

OPTIONS


Available in white, standard, and custom colors.

CLOSURE BENEFITS

- 0.375" orifice
- Oasis Flip-Top Dispensing Closure
- Crab-claw linerless seal
- Leak-free design
- Popular for hand sanitizers
- Popular for personal care items

OASIS DISPENSING CLOSURES

28-DIS-CR38 U



NOTES: (UNLESS OTHERWISE SPECIFIED)

1. ALL DIMENSIONS ARE IN INCHES.

2. SEE CHART FOR DIMENSIONAL TOLERANCE.

THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.

D	04.20.20	Finalize Design, Add PCI Logo			TCS
REV	DATE	DESCRIPTION			BY
TOLERANCE	PITCH/TPI	.167 / 6	TURNS	1	MAT'L PP
.X	±0.1	DRAWN RAG	DATE	04.16.20	SCALE 1.5 : 1
.XX	±0.02	028 - DIS - CR38 U			REV
.XXX	±0.010				D




PHOENIX

PHXPKG.COM

P 630 420 4750 E greatpkg@phxpkg.com
975 Meridian Lake Drive • Aurora, IL 60504

OASIS DISPENSING CLOSURES

28-DIS-CR38 U



MATERIAL	T (mean)	E (mean)	TOLERANCE
PP / PE	1.078	0.984	± 0.010
PET	1.078	0.984	± 0.006
GLASS	N/A	N/A	± N/A

NOTES: (UNLESS OTHERWISE SPECIFIED)			
1. ALL DIMENSIONS ARE IN INCHES.			
2. SEE CHART FOR DIMENSIONAL TOLERANCE.			
0	10.19.18	Released	BZ
REV	DATE	DESCRIPTION	
TOLERANCE	PITCH/TPI	1.67 / 6	TURNS 1-1/4
.X ±0.1	DRAWN	BEZ	DATE 10.19.04
.XX ±0.02	SCALE	8 : 1	REV
.XXX ±0.010	28 - 410 - FINISH		0