


VISTA CHILD-RESISTANT CLOSURES

33-CRC-SMBK A



Specifications:

DIAMETER 33 mm

NECK FINISH 33-400

CLOSURE TOP Smatte™

CLOSURE SIDEWALL Smatte™

MATERIAL PP, PCR PP

PACKAGING & FREIGHT INFORMATION

PACK TYPE	PCS/CTN	CTNS/PALT	PCS/PALT	CTN WT*	PALT WT*	FRT CLASS
Bulk	2,500	15	37,500	31 ⁽¹⁾	489 ⁽¹⁾	100 ⁽¹⁾
Bulk	2,500	15	37,500	33 ⁽²⁾	535 ⁽²⁾	100 ⁽²⁾
CARTON DIMENSIONS: 24 x 16 x 15			PALLET DIMENSIONS: 48 x 40 x 50			

(1) Unlined Closures (2) Lined Closures *Approximate

MARKETS

Vitamins, Nutraceuticals, Pharmaceuticals, Supplements, Agricultural, Automotive, Household Chemicals, Cosmetics, Industrial, Cannabis, and Nutritional Powders

OPTIONS

Available in white, standard, and custom colors. Can be lined with a wide variety of liner systems including SureSeal (foam). Multiple PCR materials available with food-contact and non-food options up to 100% PCR.

CLOSURE BENEFITS

- Offers child-resistance feature
- Vista® 2-piece CRC
- Patented Smatte™ finish for a sleek look
- Push-and-turn
- Popular for vitamins & nutraceuticals
- Blank Top

For blank CRC closures, the customer is responsible for providing opening and closing instructions with the final package upon sale




PHXPKG.COM

P 630 420 4750 E greatpkg@phxpkg.com
975 Meridian Lake Drive • Aurora, IL 60504

VISTA CHILD-RESISTANT CLOSURES


33-CRC-SMBK A



NOTES: (UNLESS OTHERWISE SPECIFIED) 1. ALL DIMENSIONS ARE IN INCHES. 2. SEE CHART FOR DIMENSIONAL TOLERANCE. THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.	2	09.27.19	Update 'E' Dim. to Reflect Production			DN
	REV	DATE	DESCRIPTION			BY
	TOLERANCE	PITCH/TPI .167 / 6		URNS	345°	MAT'L PP
	X	± 0.1	DRAWN DMN	DATE 06.24.19	SCALE 5 : 2	REV
	.XX	± 0.02	33 - CRC - SMBK S			2
.XXX	± 0.010					

VISTA CHILD-RESISTANT CLOSURES

33-CRC-SMBK A



MATERIAL	T (mean)	E (mean)	TOLERANCE
PP / PE	1.253	1.159	± 0.012
PET	1.257	1.163	± 0.008
GLASS	0.0000	0.0000	± 0.0000

<p>NOTES: (UNLESS OTHERWISE SPECIFIED) 1. ALL DIMENSIONS ARE IN INCHES. 2. SEE CHART FOR DIMENSIONAL TOLERANCE.</p> <p>THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.</p>	1	03.13.17	Update wall thickness to reflect Market	DN					
	REV	DATE	DESCRIPTION	BY					
	TOLERANCE	PITCH/TPI	1.67 / 6	TURNS	1-1/8	MAT'L	PER CHART		
	.X	±0.1	DRAWN	DMN	DATE	03.13.17	SCALE	10 : 1	REV
	.XX	±0.02	33 - 400 - FINISH				1		
.XXX	±0.010								