

SHALLOW SKIRTED CLOSURES

38-400-6201 U



Specifications:

DIAMETER 38 mm
THREAD PROFILE 400
NECK FINISH 38-400
CLOSURE TOP Stipple
CLOSURE SIDEWALL Fine Ribbed
MATERIAL PP

PACKAGING & FREIGHT INFORMATION

| PACK TYPE | PCS/CTN | CTNS/PALT | PCS/PALT | CTN WT* | PALT WT* | FRT CLASS |
|--|---------|-----------|--|-------------------|--------------------|---------------------|
| Bulk | 3,500 | 15 | 52,500 | 35 ⁽¹⁾ | 530 ⁽¹⁾ | 92.5 ⁽¹⁾ |
| Bulk | 3,500 | 15 | 52,500 | 39 ⁽²⁾ | 586 ⁽²⁾ | 92.5 ⁽²⁾ |
| CARTON DIMENSIONS: 24 x 16 x 15 | | | PALLET DIMENSIONS: 48 x 40 x 50 | | | |

(1) Unlined Closures (2) Lined Closures *Approximate

MARKETS

Agricultural, Automotive, Industrial, and Medical Products, Dressings & Sauces, Food, Food Oil & Service, Personal Care & Cosmetics, Pharmaceuticals, Beverages, Household Chemicals, Nutraceuticals, and Dairy Products

OPTIONS

Available in white, standard, and custom colors. Can be embossed or debossed with your custom message. Offset printing is available on this closure in up to four colors.

CLOSURE BENEFITS

- A great general-purpose closure
- A proven closure for the Food Oil and Agricultural Chemical markets
- Fine-ribbed sides are easier to grip
- Our most popular closure style
- Popular for cosmetics




PHXPKG.COM

P 630 420 4750 **E** greatpkg@phxpkg.com
 975 Meridian Lake Drive • Aurora, IL 60504

SHALLOW SKIRTED CLOSURES


38-400-6201 U



| | | | | | | | | |
|---|--|--|--|-----------|-----------|-------------------------------|----------|--------|
| NOTES: (UNLESS OTHERWISE SPECIFIED) 1. ALL DIMENSIONS ARE IN INCHES. 2. SEE CHART FOR DIMENSIONAL TOLERANCE. | | | | 7 | 04.20.15 | Redefine Reference Dimensions | | DN |
| | | | | REV | DATE | DESCRIPTION | | BY |
| THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX. | | | | TOLERANCE | PITCH/TPI | .167 / 6 | URNS | ~1-1/2 |
| | | | | .X | ±0.1 | DRAWN | DMN | DATE |
| | | | | .XX | ±0.02 | DATE | 07.18.02 | SCALE |
| | | | | .XXX | ±0.010 | SCALE | 5 : 2 | REV |
| 038 - 400 - 6201 U | | | | | | | | 7 |

SHALLOW SKIRTED CLOSURES

38-400-6201 U



NOTES: (UNLESS OTHERWISE SPECIFIED)

1. ALL DIMENSIONS ARE IN INCHES.

2. SEE CHART FOR DIMENSIONAL TOLERANCE.

THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.

| BF | 05.21.18 | Released | DN |
|-------------------|--------------------|---------------|-----------------|
| REV | DATE | DESCRIPTION | BY |
| TOLERANCE | PITCH/TPI .167 / 6 | TURNS 1-1/4 | MAT'L Per Chart |
| .X ± 0.1 | DRAWN BEZ | DATE 08.31.93 | SCALE 10 : 1 |
| .XX ± 0.02 | | | REV |
| .XXX ± 0.010 | | | |
| 38 - 400 - FINISH | | | 0 |



PHOENIX™

PHXPKG.COM

P 630 420 4750 E greatpkg@phxpkg.com
975 Meridian Lake Drive • Aurora, IL 60504