

VISTA CHILD-RESISTANT CLOSURES

38-CRC-CNVT A



Specifications:

DIAMETER 38 mm

THREAD PROFILE CRC

NECK FINISH 38-400

CLOSURE TOP Convertible, Blank Top

CLOSURE SIDEWALL Wide Ribbed

MATERIAL PP, PCR PP

PACKAGING & FREIGHT INFORMATION

PACK TYPE	PCS/CTN	CTNS/PALT	PCS/PALT	CTN WT*	PALT WT*	FRT CLASS
Bulk	2,000	15	30,000	33 ⁽¹⁾	495 ⁽¹⁾	100 ⁽¹⁾
Bulk	2,000	15	30,000	35 ⁽²⁾	525 ⁽²⁾	100 ⁽²⁾
CARTON DIMENSIONS: 24 x 16 x 15			PALLET DIMENSIONS: 48 x 40 x 50			

(1) Unlined Closures (2) Lined Closures *Approximate

MARKETS

Vitamins, Nutraceuticals, Pharmaceuticals, Supplements, Agricultural Products, Automotive Products, Household Chemicals, Cosmetics, Industrial Products, Cannabis, and Nutritional Powders

OPTIONS

Available in white, standard, and custom colors. Can be lined with a wide variety of liner systems including SureSeal (foam). Optional 25-30% food-contact safe PCR PP material available.

CLOSURE BENEFITS

- Offers optional child-resistance feature
- Vista® CRC
- Popular for pharmaceuticals
- Popular for vitamins & nutraceuticals
- Blank Top


For blank CRC closures, the customer is responsible for providing opening and closing instructions with the final package upon sale


PHXPKG.COM

P 630 420 4750 **E** greatpkg@phxpkg.com
975 Meridian Lake Drive • Aurora, IL 60504

VISTA CHILD-RESISTANT CLOSURES


38-CRC-CNVT A



NOTES: (UNLESS OTHERWISE SPECIFIED) 1. ALL DIMENSIONS ARE IN INCHES. 2. SEE CHART FOR DIMENSIONAL TOLERANCE.				5	12.22.17	Modify OD to Alter Conversion Force	DN
REV	DATE	DESCRIPTION				BY	
TOLERANCE		PITCH/TPI	167 / 6	TURNS	1-1/8	MAT'L	PP
.X	±0.1	DRAWN	DMN	DATE	01.28.16	SCALE	2 : 1
.XX	±0.02	38 - CRC - CNVT (S)				REV	5
.XXX	±0.010						

VISTA CHILD-RESISTANT CLOSURES

38-CRC-CNVT A



NOTES: (UNLESS OTHERWISE SPECIFIED)
 1. ALL DIMENSIONS ARE IN INCHES.
 2. SEE CHART FOR DIMENSIONAL TOLERANCE.

BF	05.21.18	Released	DN
REV	DATE	DESCRIPTION	BY
TOLERANCE	PITCH/TPI	1.67 / 6	TURNS 1-1/4
.X	± 0.1	DRAWN	BEZ
.XX	± 0.02	DATE	08.31.93
.XXX	± 0.010	SCALE	10 : 1
38 - 400 - FINISH			REV 0