

VISTA CHILD-RESISTANT CLOSURES

38-CRC-SMTX A



Specifications:

- DIAMETER** 38 mm
- NECK FINISH** 38-400
- CLOSURE TOP** Debossed Text
- CLOSURE SIDEWALL** Smatte™
- MATERIAL** PP, PCR PP

PACKAGING & FREIGHT INFORMATION

PACK TYPE	PCS/CTN	CTNS/PALT	PCS/PALT	CTN WT*	PALT WT*	FRT CLASS
Bulk	2,000	15	30,000	33 ⁽¹⁾	495 ⁽¹⁾	100 ⁽¹⁾
Bulk	2,000	15	30,000	36 ⁽²⁾	537 ⁽²⁾	100 ⁽²⁾
CARTON DIMENSIONS: 24 x 16 x 15			PALLET DIMENSIONS: 48 x 40 x 50			

(1) Unlined Closures (2) Lined Closures *Approximate

MARKETS

Vitamins, Nutraceuticals, Pharmaceuticals, Supplements, Agricultural, Automotive, Household Chemicals, Cosmetics, Industrial, Cannabis, and Nutritional Powders

OPTIONS

Available in white, standard, and custom colors. Can be lined with a wide variety of liner systems including SureSeal (foam). Multiple PCR materials available with food-contact and non-food options up to 100% PCR content.

CLOSURE BENEFITS

- Offers child-resistance feature
- Vista® 2-piece CRC
- Patented Smatte™ smooth, matte finish for a sleek look
- Push-and-turn
- Debossed with text instructions
- Popular for vitamins & nutraceuticals




PHXPKG.COM

P 630 420 4750 E greatpkg@phxpkg.com
975 Meridian Lake Drive • Aurora, IL 60504

VISTA CHILD-RESISTANT CLOSURES

38-CRC-SMTX A



NOTES: (UNLESS OTHERWISE SPECIFIED)

- ALL DIMENSIONS ARE IN INCHES.
- SEE CHART FOR DIMENSIONAL TOLERANCE.

THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.

4	01.17.24	UPDATED RETENTION BEAD RADIUS TO 0.02"			LD			
REV	DATE	DESCRIPTION			BY			
TOLERANCE		PITCH/TPI	.167 / 6	TURNS	345°	MAT'L	PP	REV
.X	±0.1	DRAWN	DMN	DATE	06.29.16	SCALE	2 : 1	REV
.XX	±0.02	038 - CRC - SMTX S			4			
.XXX	±0.010							




PHOENIX™

PHXPKG.COM

P 630 420 4750 E greatpkg@phxpkg.com
975 Meridian Lake Drive • Aurora, IL 60504

VISTA CHILD-RESISTANT CLOSURES

38-CRC-SMTX A



NOTES: (UNLESS OTHERWISE SPECIFIED)
 1. ALL DIMENSIONS ARE IN INCHES.
 2. SEE CHART FOR DIMENSIONAL TOLERANCE.

BF	05.21.18	Released	DN
REV	DATE	DESCRIPTION	BY
TOLERANCE	PITCH/TPI	1.67 / 6	TURNS 1-1/4
.X ±0.1	DRAWN	BEZ	DATE 08.31.93
.XX ±0.02	SCALE	10 : 1	REV
.XXX ±0.010	38 - 400 - FINISH		0