

SMOOTH TOP & RIBBED SIDES

45-400-73 S



Specifications:

DIAMETER 45 mm

THREAD PROFILE 400

NECK FINISH 45-400

CLOSURE TOP Smooth

CLOSURE SIDEWALL Fine Ribbed

MATERIAL PP, PCR PP

PACKAGING & FREIGHT INFORMATION

PACK TYPE	PCS/CTN	CTNS/PALT	PCS/PALT	CTN WT*	PALT WT*	FRT CLASS
Bulk	2,750	15	41,250	20 ⁽¹⁾	300 ⁽¹⁾	125 ⁽¹⁾
Bulk	2,750	15	41,250	20 ⁽²⁾	303 ⁽²⁾	125 ⁽²⁾
CARTON DIMENSIONS: 24 x 16 x 15			PALLET DIMENSIONS: 48 x 40 x 50			

(1) Unlined Closures (2) Lined Closures *Approximate

MARKETS

Food, Personal Care & Cosmetics, Pharmaceuticals, Nutraceuticals, Dairy Products, and Medical Products.

OPTIONS

Available in white, standard, and custom colors. Can be lined with a wide variety of liner systems including SureSeal (foam), pressure sensitive and heat induction (foil) liners. Offset printing is available in up to four colors. Optional 25-30% food-contact safe PCR PP material available.

CLOSURE BENEFITS

- A great general-purpose closure
- Fine-ribbed sides are easier to grip
- Popular for vitamins and nutraceuticals
- Stocked in white (colors available)





PHOENIX™

PHXPKG.COM

P 630 420 4750 E greatpkg@phxpkg.com
975 Meridian Lake Drive • Aurora, IL 60504

SMOOTH TOP & RIBBED SIDES


45-400-73 S



NOTES: (UNLESS OTHERWISE SPECIFIED) 1. ALL DIMENSIONS ARE IN INCHES. 2. SEE CHART FOR DIMENSIONAL TOLERANCE.				0	01.16.08	Released	DN
				REV	DATE	DESCRIPTION	BY
THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.				TOLERANCE	PITCH/TPI .167 / 6	TURNS 1-1/8	MAT'L PP
				.X ± 0.1	DRAWN DMN	DATE 01.16.08	SCALE 2 : 1
				.XX ± 0.02			REV
				.XXX ± 0.010			0
				45 - 400 - 73 S			

SMOOTH TOP & RIBBED SIDES

45-400-73 S



NOTES: (UNLESS OTHERWISE SPECIFIED)

1. ALL DIMENSIONS ARE IN INCHES.
2. SEE CHART FOR DIMENSIONAL TOLERANCE.

THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.

0	09.17.96	Released	BZ
REV	DATE	DESCRIPTION	BY
TOLERANCE	PITCH/TPI .167 / 6	TURNS 1-1/8	MAT'L Per Chart
.X ± 0.1	DRAWN BEZ	DATE 09.17.96	SCALE 10 : 1
.XX ± 0.02			REV
.XXX ± 0.010			
45 - 400 - FINISH			0



PHOENIX™

PHXPKG.COM

P 630 420 4750 E greatpkg@phxpkg.com
975 Meridian Lake Drive • Aurora, IL 60504

2024.01.23