

SMOOTH TOP & RIBBED SIDES

48-400-73 S



Specifications:

DIAMETER 48 mm

THREAD PROFILE 400

NECK FINISH 48-400

CLOSURE TOP Smooth

CLOSURE SIDEWALL Fine Ribbed

MATERIAL PP, PCR PP

PACKAGING & FREIGHT INFORMATION

PACK TYPE	PCS/CTN	CTNS/PALT	PCS/PALT	CTN WT*	PALT WT*	FRT CLASS
Bulk	2,800	15	42,000	24 ⁽¹⁾	354 ⁽¹⁾	125 ⁽¹⁾
Bulk	2,800	15	42,000	30 ⁽²⁾	449 ⁽²⁾	100 ⁽²⁾
CARTON DIMENSIONS: 24 x 16 x 15				PALLET DIMENSIONS: 48 x 40 x 50		

(1) Unlined Closures (2) Lined Closures *Approximate

MARKETS

Food, Personal Care & Cosmetics, Dressings & Sauces, Pharmaceuticals, Nutraceuticals, Dairy Products, Medical Products.

OPTIONS

Available in white, standard, and custom colors. Can be lined with a wide variety of liner systems including SureSeal (foam), pressure sensitive and heat induction (foil) liners. Optional 25-30% food-contact safe PCR PP material available.

CLOSURE BENEFITS

- A great general-purpose closure
- Fine-ribbed sides are easier to grip
- Popular for vitamins and nutraceuticals
- Stocked in white (colors available)




PHOENIX™

PHXPKG.COM

P 630 420 4750 E greatpkg@phxpkg.com
975 Meridian Lake Drive • Aurora, IL 60504

SMOOTH TOP & RIBBED SIDES


48-400-73 S



NOTES: (UNLESS OTHERWISE SPECIFIED) 1. ALL DIMENSIONS ARE IN INCHES. 2. SEE CHART FOR DIMENSIONAL TOLERANCE.	0	11.13.07	Released				DN			
	REV	DATE	DESCRIPTION				BY			
	TOLERANCE		PITCH/TPI		1.167 / 6	TURN	1-1/4	MAT'L	PP	
	.X	±0.1	DRAWN	DMN	DATE	11.13.07	SCALE	2 : 1	REV	
	.XX	±0.02								
THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.	.XXX	±0.010	48 - 400 - 73 S							0

SMOOTH TOP & RIBBED SIDES

48-400-73 S



NOTES: (UNLESS OTHERWISE SPECIFIED)

1. ALL DIMENSIONS ARE IN INCHES.
2. SEE CHART FOR DIMENSIONAL TOLERANCE.

THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.

0	08.23.94	Released	BZ
REV	DATE	DESCRIPTION	BY
TOLERANCE	PITCH/TPI .167 / 6	TURNS 1-1/8	MAT'L Per Chart
.X ± 0.1	DRAWN BEZ	DATE 08.23.94	SCALE 10 : 1
.XX ± 0.02			REV
.XXX ± 0.010			
48 - 400 - FINISH			0



PHOENIX™

PHXPKG.COM

P 630 420 4750 E greatpkg@phxpkg.com
975 Meridian Lake Drive • Aurora, IL 60504

2024.01.23