

SMOOTH TOP & RIBBED SIDES

# 53-400-73 S



## Specifications:

**DIAMETER** 53 mm

**THREAD PROFILE** 400

**NECK FINISH** 53-400

**CLOSURE TOP** Smooth

**CLOSURE SIDEWALL** Fine Ribbed

**MATERIAL** PP, PCR PP

## PACKAGING & FREIGHT INFORMATION

PACK TYPE	PCS/CTN	CTNS/PALT	PCS/PALT	CTN WT*	PALT WT*	FRT CLASS
Bulk	2,000	15	30,000	21 <sup>(1)</sup>	308 <sup>(1)</sup>	125 <sup>(1)</sup>
Bulk	2,000	15	30,000	25 <sup>(2)</sup>	369 <sup>(2)</sup>	125 <sup>(2)</sup>
<b>CARTON DIMENSIONS: 24 x 16 x 15</b>				<b>PALLET DIMENSIONS: 48 x 40 x 50</b>		

(1) Unlined Closures (2) Lined Closures \*Approximate

## MARKETS

Food, Personal Care & Cosmetics, Dressings & Sauces, Pharmaceuticals, Nutraceuticals, Dairy Products, Medical Products.

## OPTIONS

Available in white, standard, and custom colors. Can be lined with a wide variety of liner systems including SureSeal (foam), pressure sensitive and heat induction (foil) liners. Offset printing is available in up to four colors. Optional 25-30% food-contact safe PCR PP material available.

## CLOSURE BENEFITS

- A great general-purpose closure
- Fine-ribbed sides are easier to grip
- Popular for vitamins and nutraceuticals
- Stocked in white (colors available)




**PHOENIX™**

PHXPKG.COM

P 630 420 4750 E greatpkg@phxpkg.com  
975 Meridian Lake Drive • Aurora, IL 60504

SMOOTH TOP & RIBBED SIDES

# 53-400-73 S



NOTES: (UNLESS OTHERWISE SPECIFIED)

1. ALL DIMENSIONS ARE IN INCHES.

2. SEE CHART FOR DIMENSIONAL TOLERANCE.

THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.

0	02.27.08	Released	DN
REV	DATE	DESCRIPTION	BY
TOLERANCE	PITCH/TPI .167 / 6	TURNS 1-1/8	MAT'L PP
.X ±0.1	DRAWN DMN	DATE 02.27.08	SCALE 2 : 1
.XX ±0.02			REV
.XXX ±0.010			0

## 53 - 400 - 73 S




PHOENIX™

PHXPKG.COM

P 630 420 4750 E greatpkg@phxpkg.com  
975 Meridian Lake Drive • Aurora, IL 60504

## SMOOTH TOP &amp; RIBBED SIDES

# 53-400-73 S



NOTES: (UNLESS OTHERWISE SPECIFIED)

1. ALL DIMENSIONS ARE IN INCHES.
2. SEE CHART FOR DIMENSIONAL TOLERANCE.

THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.

0	10.01.02	Released	BZ
REV	DATE	DESCRIPTION	BY
TOLERANCE	PITCH/TPI .167 / 6	TURNS 1-1/8	MAT'L Per Chart
.X $\pm 0.1$	DRAWN BEZ	DATE 10.01.02	SCALE 10 : 1
.XX $\pm 0.02$			REV
.XXX $\pm 0.010$			
53 - 400 - FINISH			0


**PHOENIX™**

PHXPKG.COM

P 630 420 4750 E greatpkg@phxpkg.com  
 975 Meridian Lake Drive • Aurora, IL 60504

2024.01.23