

VISTA CHILD-RESISTANT CLOSURES

53-CRC-STBK A



Specifications:

DIAMETER 53 mm
NECK FINISH 53-400
CLOSURE TOP Stipple
CLOSURE SIDEWALL Wide Ribbed
MATERIAL PP, PCR PP

PACKAGING & FREIGHT INFORMATION

PACK TYPE	PCS/CTN	CTNS/PALT	PCS/PALT	CTN WT*	PALT WT*	FRT CLASS
Bulk	1,200	15	18,000	34 ⁽¹⁾	516 ⁽¹⁾	100 ⁽¹⁾
Bulk	1,200	15	18,000	34 ⁽²⁾	516 ⁽²⁾	100 ⁽²⁾
CARTON DIMENSIONS: 24 x 16 x 15			PALLET DIMENSIONS: 48 x 40 x 50			

(1) Unlined Closures (2) Lined Closures *Approximate

MARKETS

Vitamins, Nutraceuticals, Pharmaceuticals, Supplements, Agricultural, Automotive, Household Chemicals, Cosmetics, Industrial, Cannabis, and Nutritional Powders

OPTIONS

Available in white, standard, and custom colors. Can be lined with a wide variety of liner systems including SureSeal (foam). Multiple PCR materials available with food-contact and non-food options up to 100% PCR content.

CLOSURE BENEFITS

- Offers child-resistance feature
- Vista® 2-piece CRC
- Push-and-turn
- Popular for vitamins & nutraceuticals
- Blank Top

For blank CRC closures, the customer is responsible for providing opening and closing instructions with the final package upon sale






PHXPKG.COM

P 630 420 4750 **E** greatpkg@phxpkg.com
 975 Meridian Lake Drive • Aurora, IL 60504

VISTA CHILD-RESISTANT CLOSURES


53-CRC-STBK A



NOTES: (UNLESS OTHERWISE SPECIFIED) 1. ALL DIMENSIONS ARE IN INCHES. 2. SEE CHART FOR DIMENSIONAL TOLERANCE.				5	10.19.18	Modify Thread Profile & Ratchet Feature	DN
REV		DATE		DESCRIPTION			BY
TOLERANCE		PITCH/TPI .167 / 6		TURNS 356°		MAT'L PP	
.X	±0.1	DRAWN DMN		DATE 06.29.16		SCALE 3 : 2	REV
.XX	±0.02	53 - CRC - STBK (S)					5
.XXX	±0.010						

VISTA CHILD-RESISTANT CLOSURES

53-CRC-STBK A



NOTES: (UNLESS OTHERWISE SPECIFIED)
 1. ALL DIMENSIONS ARE IN INCHES.
 2. SEE CHART FOR DIMENSIONAL TOLERANCE.

0	10.01.02	Released	BZ
REV	DATE	DESCRIPTION	BY
TOLERANCE	PITCH/TPI	1.67 / 6	TURNS 1-1/8
.X ±0.1	DRAWN	BEZ	DATE 10.01.02
.XX ±0.02	SCALE	10 : 1	REV
.XXX ±0.010	53 - 400 - FINISH		0